



Option List

10/9/2023

Customer: Union Fire Company No. 1 - Oxford
Representative Woerth, Curt
Organization: Glick Fire Equipment Co, Inc
Requirements Manager: Hartjes, Tim
Description: PUC Long Body
Body: Pumper, PUC, Aluminum
Chassis: Velocity Chassis, PUC, (Big Block)

Bid Number: 15
Job Number: 23032
Number of Units: 1
Bid Date: 05/06/2009
Stock Number:
Price Level: 1 (Current: 46)
Lane:

Line	Option	Type	Option Description	Qty
1	0543859		Boiler Plates, PUC Pumper Fire Department/Customer - * Operating/In conjunction W-Service Center - Miles - Number of Fire Dept/Municipalities - Bidder/Sales Organization - * Delivery - Dealership/Sales Organization, Service - *	1
2	0018007		Single Source Compliance, USE OPTION 661794	1
3	0533316		Comply NFPA 1901 Changes Effective Jan 1, 2009, With Exceptions	1
4	0007870		Volunteer Department	1
5	0533347		Pumper/Pumper with Aerial Device Fire Apparatus	1
6	0588611		Vehicle Certification, Pumper	1
7	0588621		Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
8	0588609		Vehicle Destination, US	1
9	0536644		Customer Service Website	1
10	0537375		Unit of Measure, US Gallons	1
11	0000007		Approval Drawing	1
12	0030008		Warranty, Basic, 1 Year, Apparatus, WA0008	1
13	0553301		Warranty, Chassis, 3 Year, Velocity/Impel, WA0037	1
14	0552964		Warranty, Lifetime on Crossmembers, Imp/Vel	1
15	0529326		Bid Bond, 10%, Pierce Built Chassis	1
16	9899998	SCC	Performance Bond, Union Fire Co. No. 1, Bid# 1259	1
17	0517122		Velocity Chassis, PUC, (Big Block)	1
18	0000109		Seating Capacity, Cab Qty, - 06	6
19	0000110		Wheelbase Wheelbase - 220.00 inches	1
20	0000070		GVW Rating GVW rating - 49,800	1
21	0000203		Frame Rails, 13.38 x 3.50 x .375, Qtm/AXT/Imp/Vel/DCF	1
22	0060637		Frame Liner, Inv "L" 12.68" x 3.00" x .25", AXT/Vel/Imp, Full Length, 56"Qval	1
23	0508849		Axle, Front, Oshkosh TAK-4, Non Drive, 22,800 lb, Imp/Vel	1
24	0000322		Oil Seals, Front Axle	1
25	0087572		Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
26	0596526	SP	Axle, Rear, Meritor RS30-185, 27,000 lb, Imp/Vel, 27,000 Suspension	1
27	0530524		Warranty, Axle, 2 Year, Meritor, General Service, WA0046 Replaced with 777368	1
28	0544253		Top Speed of Vehicle, 68 MPH /109 KPH	1
29	0000485		Oil Seals, Rear Axle	1
30	0010427		Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/Imp/Vel/Enf/SFR	1
31	0122075		Suspen, Rear, Standens, Spring, 27,000 lb, Imp/Vel	1
32	0519105		ESC/ABS/ATC Wabco Brake System, Single Rear Axle	1
33	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
34	0000740		Brakes, Meritor, Cam, Rear, 16.50 x 8.63"	1
35	0001220		Engine Brake, Jacobs Compression Brake, Export Switch, Engine Brake - a) Series 60	1
36	0058463		Air Compressor, Brake, Bendix 15.8 CFM	1
37	0000786		Brake Reservoirs, Four	1
38	0010787		Air Dryer, Wabco System Saver 1200	1
39	0000790		Brake Lines, Nylon	1

Line	Option	Type	Option Description	Qty
40	0000858		Inlet/Outlet, Air, w/Disconnect Fitting Location, Air Coupling(s) - h) DS Pump Panel Qty, Air Coupling (s) - 1	1
41	0014130		Air Tank, Additional for Extra Air Horn Capacity	1
42	0000845		Air Tank, Additional for Extra Capacity	1
43	0562177		Engine, DDC Series 60, 14.0L 515 hp, 1650 Torque, W/REPTO, Vel, 2007 Transition	1
44	0550519		Certification, Engine Installation, Velocity DDC Series 60	1
45	0123135		Air Intake, w/Ember separator, Imp/Vel	1
46	0521984		Exhaust System, 5", ISM/S60 2007 engine, Right Side	1
47	0001244		High Idle w/Electronic Engine, Custom	1
48	0511426		Cooling Hoses, Silicone	1
49	0557543		Radiator, Impel/Velocity	1
50	0552334		Clutch, Fan, Air Actuated, Horton Drive Master	1
51	0122516		Fluid Check Access, Imp/Vel Latch, Door, Storage -	1
52	0001125		Fuel Tank, 65 Gallon, Left Side Fill	1
53	0001129		Lines, Fuel	1
54	0552777		Fuel Pump for Repriming	1
55	0552607		Shutoff Valves (2), Fuel Line @ Filter	1
56	0553019		Cooler, Engine Fuel, Imp/Vel, AXT/Qtm/Sab/DCF/SFR/Enf	1
57	0510123		Trans, Allison Gen IV 4000 EVS P, Imp/Vel/Vel SLT/Dash CF	1
58	0510876		Transmission, Shifter, 6-Spd, Push Button Trans, ratio - 4000 EVS, 6Spd	1
59	0517604		Transmission Programming, Park to Neutral, PUC	1
60	0507303		Transmission Oil Cooler, Champ, Velocity	1
61	0046369		Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
62	0001375		Driveline, Spicer 1810	1
63	0123392		Steering, Sheppard M110 w/tilt, TAK-4, 3 Line Pump	1
64	0509230		Steering Wheel, 4 Spoke without Controls	1
65	0078244		Tires, Front, Michelin, XZY3 (wb), 425/65R22.50, 20 ply	1
66	0019611		Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Hub Pilot	1
67	0075086		Tires, Rear, Michelin, XDY3, 315/80R22.50, 20 ply, Single	1
68	0568081		Tire Balancing, Counteract Beads	1
69	0019668		Wheels, Rear, Alcoa, 22.50" x 9.00", Aluminum, Hub Pilot, Single	1
70	0544802		Chocks, Wheel, SAC-44-E, Folding, (Up to 44" Diameter Tires) EXCLUDED: [Qty,]. - 1 Qty, Pair -	1
71	0544690		Mounting Brackets, Chocks, Provided by Fire Department	1
72	0013246		Axle Hub Covers without center hole, S/S, Front Axle	1
73	0001960		Axle Hub Covers, Rear, S/S, High Hat (Pair)	1
74	0002000		Chains, Onspot, Automatic Tire, Custom, USE OPTION 760675	1
75	0002045		Mud Flap, Front and Rear, Pierce Logo	1
76	0016665	SP	Tire, Change After Original Installation Qty, - 04	4
77	0545391		Tire Pressure Monitoring Valve Cap, VECSAFE Qty, Tire Pressure Ind - 6	1
78	0122287		Cab, Velocity, 70" w/10" Raised Roof Light, Short Cabinet - Scuffplate, Material/Finish - Material Finish, Shelf - Finish, Cab Compt/Component - Shelf/Tray, Cabinet - Door, Cab Exterior Cabinet - Door, Exterior Stop - Light, Tall Cabinet -	1
79	0555485		Steps, 4-Door Full Tilt Cab, Imp/Vel	1
80	0543951		Certification, Cab Integrity, Velocity, CD0009	1
81	0548950		Certification, Cab Door Durability, Velocity/Impel, CD0001	1
82	0546585		Cab Pump Enclosure, PUC	1
83	0509532		Floor, Rubber Padded Cab & Crew Cab, Imp/Vel, Dash CF	1
84	0122479		Window, Side of C/C, Fixed, Velocity	1

Line	Option	Type	Option Description	Qty
85	0552935		Trim, Cab Side Windows, Velocity	1
86	0012090		Not Required, Windows, Front/Side of raised roof	1
87	0509286		Not Required, Windows Rear of Crew Cab, Imp/Vel	1
88	0558334		Not Required, Trim, Cab Rear Windows, No Rear Windows	1
89	0548951		Certification, Electric Window Durability, Velocity/Impel, CD0004	1
90	0525761		Door, Half-Height, Impel/Velocity 4-Door Cab, Raised Roof	1
			Key Model, Cab Doors -	
91	0528167		Not Required, Scuffplates, Cab Door, Imp/Vel	1
			Material Trim/Scuffplate -	
			Color, UL-LX, Per Item -	
			Color, Durabak Coating -	
92	0510218		Controls, Electric Windows, All Cab Doors, Impel & Velocity	1
93	0550144		Logo/Emblem, on Horn Button	1
			Text, Row (1) One - UNION	
			Text, Row (2) Two - FIRE	
			Text, Row (3) Three - COMPANY NO.1	
94	0123176		Grille, Bright Finished, Front of Cab, Velocity	1
95	0123686		Drip Rail, Cab Roof, Impel/Velocity/Velocity SLT	1
96	0199285		Visor, Exterior, Vel/Imp	1
97	0533456	SP	Turnsignal Cover(s) S/S, Impel/Vel, Polished	1
98	0002140		Fenders, S/S on Cab	1
99	0016148		Scuffplates, S/S, 1.50", Rear Corners of Cab	1
			Material Trim/Scuffplate - c) S/S, Polished	
100	0512716		Scuffplate, Rear of Engine Tunnel	1
			Material Trim/Scuffplate - c) S/S, Polished	
101	0523925		Scuffplates, S/S At Cab Door Jambs, Full Coverage, VEL/IMP/Dash CF	1
			Fill in Blank - *	
			Material Trim/Scuffplate - c) S/S, Polished	
			Color, UL-LX, Per Item -	
			Color, UL-LX, Per Compt -	
102	0527032		Trim, S/S Band, Across Cab Face, Rect Lights, Velocity	1
			Material Trim/Scuffplate - e) S/S, Patterned	
			Turnsignal Covers -	
103	0067358		Stripe, Gold Leaf, On 2-tone paint break, w/shield, IPO Chrome Molding	1
104	0032664		Conduit, 1.50" Instr Pnl to P.P. Microphone & Spkr, Cust	1
105	0002508		Map Box, 3 Bin/30 deg Slant, Custom Chassis	1
			EXCLUDED: [Location]. - Selected value: "to be installed at delivery "	
			Qty, - 1	
			Location, Map Box/Straps -	
106	0122465		Cab Lift, Elec/Hyd, Imp/Vel	1
107	0032129		Mirrors, Moto-Plus, Heated/Remote, w/Convex	1
108	0072188		Mirror, Down View, Passenger Side for Driver, 8" Round	1
109	0086085	SP	Bumper, 26" Extd- .38" "C" Channel, Painted, 12" H, All Custom Chassis	1
110	0510226		Lift & Tow Package, Imp/Vel, AXT, Dash CF	1
111	0012225		Gravel Pan, Extended Bumper	1
			Brand, Model, Age of Tool - *	
112	0567349	SP	Equipment Tray w/Full Width Cover, 2 Hyd Reels, Hyd Tools in Cntr, Rub Latch, Lt	1
			Fill in Blank - one (1) Hurst ML28 Defender Spreader and one (1) Hurst MOC Ultra Cutter	
			Stay arm, Tray Cover - c)Pneumatic Stay Arm, Dual	
113	0002270		Tow Hooks, Chrome	1
114	0199687		Cab Interior, ABS Console, Vinyl Covered Walls, Velocity/Velocity SLT	1
			Color, Cab Interior Vinyl/Fabric - c) Black	
115	0509492		Cab Interior, paint color, Imp/Vel	1
			Color, Cab Interior Paint - b) black	
116	0550229		Storage Pockets w/ Elastic Cover, Recessed, Rotomolded, Imp/Vel	1
117	0543257		Grab Handles, Driver Door Post & Passenger Dash Panel, Imp/Vel	1
118	0121848		Seat, Driver, Pierce PS6, Premium, Safety, Air Ride Hi-Back	1
			USSC, CMC Vinyl Cover, Addt'l -	
119	0122116		Seat, Officer, Pierce PS6, Premium, Safety, Air Ride, SCBA	1
			USSC, CMC Vinyl Cover, Addt'l -	
120	0122186		Seat, Rear Facing C/C, PS Outboard, Pierce PS6, Premium, SCBA, Safety	1

Line	Option	Type	Option Description	Qty
121	0122183		Seat, Rear Facing C/C, DS Outboard, Pierce PS6, Premium, SCBA, Safety	1
122	0199174	SP	Cabinet, EMS, Forward Facing, PS, 21 W x 54 H x 14 D, Amdor, Non-Paint	1
123	0102783		Not Required, Seat, Rr Facing C/C, Center	1
124	0589702	SP	Cabinet, EMS, Forward Facing, DS, 21 Wide x 54 High x 14 Deep, Amdor Rollup	1
125	0122744		Seat, Forward Facing C/C, Center, (2) Pierce PS6, Premium, SCBA, Safety	1
126	0520835		Compt, Storage, Rear Facing, Overhead, 74"W x 10"H x 12"D, Imp/Vel 10" RR Latch, Storage Compt - a) Non Locking Qty, Compt Door - (2) Light, Overhead Compt -	1
127	0510038		Radio Compartment, Behind Officer Seat, Imp/Vel	1
128	0511300		Upholstery, Seats In Cab, All Imperial 1200, Pierce PS6 Color, Cab Interior Vinyl/Fabric - c) Black	1
129	0543991		Bracket, Air Bottle, Hands-Free II, Cab Seats Qty, - 05	5
130	0547293		Seat Belts, Red	1
131	0553393		Seat Belt Height Adjustment, Imp/Vel, Dash CF Qty, - 06	6
132	0549273		Certification, Seat Belt Anchors and Mounting, Imp/Vel/Vel SLT, CD0018	1
133	0542388		Seat Belt Monitoring System	1
134	0543917		Helmet Storage, Provided by Fire Department, NFPA	1
135	0518633		Frontal Impact Protection, Cab	1
136	0509333		Side Roll Protection Package, Cab, Imp/Vel	1
137	0019914		Warranty, Structure, 10 Year, Custom Cab, WA0012	1
138	0002526		Light, Engine Compt, All Custom Chassis	1
139	0508437		Lights, Dome, Weldon, Incandescent, Two (2) Lights, Dual Light and Lens	1
140	0509981		Lights, Dome CC, (2) Weldon, 8081 Incandescent, Red/Clear, Grey Bezel, MUX Only	1
141	0509649		Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 1Lt Per Step	1
142	0122520		Heater/defroster, Imp/Vel	1
143	0548947		Certification, Cab Heater and Defroster, Velocity/Impel, CD0015	1
144	0559378		Air Conditioning, Imp/Vel/Vel SLT Location, -	1
145	0548940		Certification, Cab Air Conditioning Performance, Velocity/Impel, CD0016	1
146	0509646		Cab Instruments, Ivory Gauges, Chrome Bezels, Impel/Velocit	1
147	0509511		Air Restriction Indicator, Imp/Vel, AXT, Dash CF, Enf MUX	1
148	0555915		Wiper Control, 2-Speed with Intermittent, MUX, Impel/Velocit	1
149	0548967		Certification, Windshield Wiper Durability, Impel/Velocit, CD0005	1
150	0536357		Modification, PUC Gauges, Pump Pressure, Water Level & Foam, Special Location Location - mount in switch panel location #12	1
151	0559745	SP	Radio, Pioneer DEH-P4100UB, AM/FM/CD/MP3, 4 Pioneer TS-G1342R Speakers Antenna, AM/FM Radio - c) Roof-mounted rubber antenna Location, AM/FM Radio - b) within reach of the officer	1
152	9999999	SCC	Grill, Speaker, Pioneer Speakers, Union FC Fill in Blank - install a total of (4) speaker grills over the Pioneer speakers	1
153	0022853		Antenna, Mount Only, For 2-way Radio Std, DO NOT USE AFTER 3/14/12 Color, Antenna - Device, Cellular Make & Model - * Device, GPS Make & Model - * Device, WiFi - *	1
154	0509921		Switching, Cab, Membrane, Impel/Velocit/Quantum, Dash CF, AXT MUX Location, Emerg Sw Pnls - Driver's Side Overhead	1
155	0509965		Pierce Command Zone, Adv Elec and Cntrl Sys, Diag LEDs, NOT FOR FUTURE USE	1
156	0087852		Vehicle Information Center, 7" Color Display, MUX	1
157	0543930		Vehicle Data Recorder, Dual Module	1
158	0090515		Hitch, Receiver, Front, 10,000 lbs, Custom Chassis	1
159	0090523		Winch, Warn, 9,000 lb. Portable Receiver Type Length - Fill in Blank 2 - *	1
160	0079166		Batteries, (4) Stryten/Exide Grp 31, 950 CCA ea, Threaded Stud Location, Lube System Grease Fitting -	1
161	0008621		Battery System, Single Start, All Custom Chassis	1
162	0123174		Battery Compartment, Imp/Vel	1

Line	Option	Type	Option Description	Qty
163	0531338		Charger, Sngl Sys, Kussmaul, Pump Plus 1200, 52-21-1100	1
164	0517092		Location, Charger, In DS Hatch Compartment	1
165	0531403		Location, Bat Chrg Ind, Driver's Seat with Bracket	1
166	0009429		Electric Power Only, Portable Winch	4
			Location - one (1) next to each winch receiver	
			Qty, Receptacles - 04	
167	0063137		Alternator, 400 amp Niehoff C656	1
168	0032739		Wiring, Customer Installed Radio, Battery, Ignition & Ground	2
			Location - officer's side of the cab dash	
			Qty, - 02	
			Color -	
			Software -	
			Display -	
			Microserver -	
169	0548004		Wiring, Spare, 15 A 12V DC 1st	2
			Qty, - 02	
			12vdc power from - Battery direct	
			Wire termination - 15 amp power point plug	
			EXCLUDED: [Location]. - Selected value: "officer's side of the engine tunnel "	
			Location, Spare Wiring -	
170	0092582		Load Manager/Sequencer, MUX	1
			Enable/Disable Hi-Idle - e)High Idle enable	
171	0545073		Amp Draw Report, NFPA Current Edition	1
172	0002758		Amp Draw, NFPA/ULC Radio Allowance	1
173	0525517		Lighting, FMVSS, Cab, P25 LED Clmc/ID, Imp/Vel, Rect HdIts	1
174	0540460		Light, Front Zone, WIn M6*C LED, Clear Lens, 4Its Q Bezel	1
			Color, Lt DS Frnt Outside - DS Front Outside Red	
			Color, Lt PS Frnt Outside - PS Front Outside Red	
			Color, Lt DS Front Inside - r) DS Front Inside Red	
			Color, Lt PS Front Inside - r) PS Front Inside Red	
175	0005910		Alarm, Back-up Warning, ECCO SA917-PM2	1
176	0031972		Manuals, Two (2), Fire Apparatus Parts, Custom Chassis	1
177	0002905		Manuals, (2) Chassis Service, Custom	1
178	0032433		Manuals, Two (2) Chassis Operation, Custom	1
179	0524627		Warranty, Electronics, 5 Year, MUX, WA0014	1
180	0002928		Electrical Diagrams	1
181	0518282		Pumper, PUC, Aluminum	1
182	0554271		Body Skirt Height, 20"	1
183	0519696		Tank, Water, 500 Gallon, Poly, Rectangle, Form Fitting, PUC	1
184	0003405		Overflow, 4.00" Water Tank, Poly	1
185	0028104		Foam Cell Required	1
186	0531666		Modified Poly Tank for Equipment Storage Rack, PUC	1
187	0044431		Sleeve through Tank - Up to 3" Plumbing	2
			Qty, Sleeve - 2	
			Tank Exterior Finish -	
			Door, Material & Finish, Storage -	
			Latch, Door, Storage -	
			Hinge Location -	
			Material -	
			Hole Diameter, Pegboard/Toolboard -	
			Door Type -	
188	0553729		Not Required, Restraint, Water Tank, Heavy Duty	1
189	0003401		Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0036	1
190	0003429		Not Required, Direct Tank Fill	1
191	0003424		Not Required, Dump Valve	1
192	0048710		Not Required, Jet Assist	1
193	0030007		Not Required, Dump Valve Chute	1
194	0514778		Not Required, Switch, Tank Dump Master	1
195	0515633		Body Height, PUC	1
			Body Height - 92.00"	
196	0199241		Hose Bed, Aluminum, Pumper, PUC	1

Line	Option	Type	Option Description	Qty
197	0003482		Hose Bed Capacity, Additional Capacity, Hosebed - 500' of 5" hose / 300' of 3.00" DJ hose	1
198	0083488		Divider, Hose Bed, .25" Unpainted Qty, Hosebed Dividers - 1	1
199	0089471		Cutout, Handhold, in Hose Bed Divider Qty, - 1	1
200	0567352	SP	Hose Tray, Poly, In Hose Bed, PUC Location - driver's side of the equipment storage compartment Qty, - 01 Size - 7.50" inside tray width x 14" high x approximately 108" long	1
201	0534886	SP	Light, Below Hose Bed Cover, Amdor AY-9500-40 Lumabar, 4 Strips	1
202	0530804		Cover, Hose Bed, Alum Treadplate	1
203	0073507		Flap, Rear of Alum Hose Bed Cover, Vinyl Color, Vinyl Cover - c) black Color, Roll-up Door - Latch, Roll-up Door - Fill in Blank - * Dimensions - * Location - * Color, Chev, Reflective B - Color, Chev, Reflective A - Hinge Location - Color, Reflexite Band - A - Color, Reflexite Band - B - Lettering Outline, Color - Type of Fastener, Left Side - Color, Vinyl Cover 2 - Size, Non-Ref Letter Material, Special Color -	1
204	0525658		Running Boards, PUC	1
205	0598908	SP	Tailboard, Folding, Space Saver, w/Two Piece Bumper, 12" D, Grip Strut, Sm Alum, PUC	1
206	0092940		Tow Bars, (2) w/Hitch Receiver, Rear/Sides, Under Body Connection, Trailer/12V Electrical - Trailer Hydraulic Brakes	1
207	0518286		Construction, Compt, Alum, Pumper, PUC	1
208	0523570	SP	DS 214" Rollup, (1) 52" Fwd, (1) 32" (1) 52" Rr, FH/FD Frt & Rr, Reduce Part, PUC	1
209	0562435	SP	RS 214" Rollup, (1) 56" Fwd, (1) 28" Fwd, (1) 52" Rr, FH/FD Frt & Rr, PUC	1
210	0041165		Doors, Roll-up, Gortite, Painted and/or Locking, Side Compartments Qty, Door Accessory - 08 Color, Roll-up Door, Gortite - Painted to Match Lower Body Latch, Roll-up Door, Gortite - Non-Locking Liftbar	8
211	0515270		Compt, Rear, Rollup, 32.50" FF, w/Space Saver, PUC/HDRP	1
212	0515445		Door(s), Swing Tailboard/Roll-up, Gortite, Satin Finish, Rear Compt, PUC Color, Vinyl Cover - Type of fastener - Latch, Roll-up Door, Gortite - Non-Locking, Rear Latch, Door, Storage - Nylon Web Color - Restraint Location -	1
213	0562375		Scuffplate, S/S, On Rear Outside, Corner of Body, Full-Height Material Trim/Scuffplate -	1
214	0564485	SP	214" Hatch, (2) Lift-up, 28" Wide, Both Sides, DS Shortened, PUC Size, Hatch Compt, Height - 22.00"	1
215	0536176		Tray, 215 lb, Tilt/Slide-Out, 30 Deg, Adj, Max Width/Depth, Brushed, 3G Location - one (1) passenger side compartment P2 Qty, Tray (slide-out) - 01	1
216	0562893		Mounting, Stokes Basket, Transversed, Above Crosslays, Strap, PUC Size - 85" long X 24" wide X 8" deep	1
217	0596714	SP	Mounting, Little Giant Ladder, Model 17, Transversed, Above Crosslays, Straps, PUC Size - 55" high x 24" wide x 8" deep to be mounted on the driver's side	1
218	0587690	SP	Ladder Compt Floor Extension, Rear, PUC Location - at rear of ladder storage Qty, - 1	1
219	0553396		Shelf Tracks, Recessed, PUC	1

Line	Option	Type	Option Description	Qty
220	0554130		Shelving, Not Required, 3rd Gen	1
221	0063064		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
222	0515441		Fender Crowns, Rear, S/S, W/Removable Fender Liner, Pumper, 3G Material Finish, Fender Liner -	1
223	0519849		Not Required, Hose, Hard Suction	1
224	0527021		Handrails Located @ Front Body	1
225	0521763		No Handrail Required, Beavertail, PUC/HDRP	1
226	0000941		No Rear Hose Bed Handrail Required	1
227	0062640		Insert, Air Bottle Compt, "W" Shaped Qty, - 04	4
228	0518611		Compt, Air Bottle in Fender Panel, S/S, PUC Color, Vinyl Cover - Location, Bracket/comp. - rear wheel well area Qty, Air Bottle Comp - 4 Dimensions - * Location - * Material -	4
229	0004225		Ladder, 24' Duo-Safety 900A 2-Section	1
230	0564487	SP	Ladder, 24', Duo-Safety 900A 2-Section, PUC/HDRP Qty, - 1	1
231	0004230		Ladder, 14' Duo-Safety 775A Roof	1
232	0526975	SP	Ladder, 16' Duo-Safety 875A Roof, Additional Storage, PUC Qty, - 1	1
233	0567330	SP	Rack, Ladder Storage Horiz (4), PP (2), Hose Tray, Encl'd, Below Hose Bed, Poly Size, Ladder/Pike Pole - two (2) 8' Firehooks Unlimited NY Roof Hook with chisel end	1
234	0014245		Ladder, 10' Duo-Safety Folding 585A, w/Mounting Location, Folding Ladder - DS Pike Pole Compt	1
235	0047166		Ladder, 10' Duo-Safety Folding, 585A, Additional Location, Folding Ladder - In Pike Compt	1
236	0533377		Pole, Pike 8', Pumper, Provided by Fire Department Pike Pole/Hook End, Fire Hooks Unlimited -	1
237	0533375		Pike Pole, 6', Pumper, Provided by Fire Department Pike Pole Shaft, Fire Hooks Unlimited - Pike Pole/Hook End, Fire Hooks Unlimited -	1
238	0596134	SP	Compt, Pike Poles/Fld Ldr In Upper Body (1) LS, Spcl Mnt Tubes, Smooth Alum, PUC Make/Model - two (2) 10' Firehooks Unlimited NY Roof Hook with chisel end	1
239	0596131	SP	Compt, Pike Poles (4)/Fld Ldr In Upper Body (1) RS, Spcl Mnt Tubes, Smooth, PUC Make/Model - four (4) 6' Firehooks Unlimited NY Roof Hook with chisel end	1
240	0521734		No Steps Required, Front Of Body, PUC	1
241	0515515		Ladder, Top Access, Alum, Photo-luminescent Rungs, RH Rear, PUC/HDRP Do Not Move Truck Indicator -	1
242	0501491		Step, Folding - Extra, Body Only, Luminescent, Trident Qty, Folding Step - 02 Location, Additional Step - one (1) each side on the front bulkhead	2
243	0515695		Pump, Pierce, 1500 GPM, Single Stage, PUC	1
244	0515822		Seal, Mechanical, Silicon Carbide, PUC Pump	1
245	0091446		Pump Setup Charges N/A	1
246	0515705		Gear Case, Pierce Pump, REPTO-Clutch Drive	1
247	0521309		Pumping Mode, Pump and Roll/Stationary, Basic, PUC	1
248	0515829		Pump Shift, Sure-Shift	1
249	0515833		Transmission Lock-up, Not Req'd, Park to Neutral, Pump, PUC	1
250	0515835		Auxiliary Cooling System, PUC	1
251	0014486		Not Required, Transfer Valve, Single Stage Pump	1
252	0013050		Valve, Relief Intake, Akron, Set @ 125 PSI	1
253	0515838		Controller, Pressure, Pierce, PUC	1
254	0072153		Primer, Trident, Air Prime, Air Operated	1
255	0547274	SP	Pump Witness, Full Capacity, Detailed Test	1

Line	Option	Type	Option Description	Qty
256	0522549		Temperature Relief System, Pierce Pump	1
			Location, Outlet -	
			Location 1 - *	
			Location 2 - *	
			Location 3 - *	
			Fill in Blank 2 - *	
			Discharge, Outlet Locations -	
			Multiple Truck Credit, Testing -	
257	0516693		Warranty, Pump, Pierce, PUC, 6 Year Parts, 1 Year Labor, WA0039	1
258	0516694		Manuals, Pump (2), CD, Pierce PUC Pump	1
259	0519952		Plumbing, Stainless Steel & Hose, PUC	1
260	0064656		Not Required, Black Iron Pipe with Stainless Steel Plumbing	1
261	0032998		Warranty, 10 Year S/S Pumbing, WA0035	1
262	0517852		Inlets, 6.00" - 1250-2000 GPM, Pierce PUC Pump	1
263	0004646		Cap, Main Pump Inlet, Long Handle, NST, VLH	1
264	0550660		Valve, Pierce BFV, w/Relief, PS Main Inlet, 6", Electric, PUC	1
			Location - *	
265	0084610		Valves, Akron 8000 series- All	1
266	0004660		Inlet (1), Left Side, 2.50"	1
267	0029147		Not Required, Inlet, Right Side	1
268	0520002		Valve, Inlet(s) Recessed, Side Cntrl, PUC	1
			Qty, Inlets - 1	
269	0521137		Anode, Zinc, Pair, Pump Inlets, PUC	1
270	0004700		Control, Inlet, at Valve	1
271	0092569		No Rear Inlet (Large Dia) Requested	1
272	0092696		Not Required, Cap, Rear Inlet	1
273	0064116		No Rear Inlet Actuation Required	1
274	0009648		No Rear Intake Relief Valve Required on Rear Inlet	1
275	0092568		No Rear Auxiliary Inlet Requested	1
276	0563738		Valve, .75" Bleeder, Aux. Side Inlet, Swing Handle	1
277	0546826	SP	Line, (1) 3.00" Valve/ 4" PlbTank to Pump, Air Actuated, Akron Valve, PUC	1
278	0004910		Outlet, Tank Fill, 2"	1
279	0516755		Outlet, Left Side, 2.50" (2), PUC	1
280	0556669		Outlet(s), RH Side, 2.50", (1), Electric Control, PUC	1
281	0556677		Outlet, 4.00" w/4.00" Akron Valve, Right, Electric, PUC	1
282	0092572		Not Required, Outlet, Front	1
283	0516777		Outlet, Rear, 2.50", (1), Thru Tank, PUC	1
			Qty, Discharges -	
			Location, Outlet - b) driver's side	
284	0516815		Outlet, Rear, 2.50" w/3" Pumbing, 2.50" Valve, Thru Tank, PUC, Additional	1
			Qty, Discharges - 01	
			Location, Outlet - a) passenger's side	
285	0085076		Caps for 1.50" to 3.00" Discharge, Chain	1
286	0563739		Valve, 0.75" Bleeder, Discharges, Swing Handle	1
287	0055095		Not Required, Elbow, Left Side Outlets, 2.50"	1
288	0021134		Not Required, Elbow, Right Side Outlets	1
289	0045091		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
290	0536635		Elbow, Rear Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH, PUC, Additional	1
			Qty, Discharges -	
291	0005097		Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz	1
			Qty, -	
292	0005080		Reducer, 2.50" FNST x 1.50" MNST, w/Cap	5
			Qty, Adapter for Outlets - 05	
			Location, Adapter(s) - all 2.50" discharges	
293	0552943		Control, Outlets, Swing Handle, Elect PS Outlets, Akron 9315, Press Display, PUC	1
294	0029106		Not Required, Deluge Outlet	1
295	0029302		No Monitor Requested	1
296	0029304		No Nozzle Req'd	1
297	0029107		No Deluge Mount	1
298	0562478	SP	Crosslays, Low Mount, (2) 1.50", Std. Cap, W/ 7.50" (ID) Wide Poly Trays, PUC	1
299	0029196		Not Required, 2.50" Crosslay	1
300	0500535		Not Required, Hose Restraint, Crosslay	1

Line	Option	Type	Option Description	Qty
301	0593192	SP	Enclosure, Crosslays/Equipt Storage, DS/PS, Gortite, Painted, Spcl Width, PUC Size - 89 inches	1
302	0096897		Chicksan Swivel as far outboard as possible Location - one (1) 1.50" crosslay on the driver's side and one (1) 1.50" crosslay on the passenger side Qty, - 02 Fill in Blank - * Location, Backboard Comp - Door, Material & Finish, Storage - Latch, Door, Storage - Hinge Location - Control, Scene Lts - Door, Material & Finish, Access - Width, Strap - Color, Strap -	2
303	0534267	SP	Foam Sys, Husky 12, (Single Agent), PUC, Additional Discharges Do Not Use, Discharge, Foam - 2CL, 2 Rear	1
304	0012126		Not Required, CAF Compressor	1
305	0552481		Refill, Foam Tank, Single Tank, Husky 12, Class A Foam	1
306	0031896		Demonstration, Foam System, Dealer Provided	1
307	0537370	SP	Foam Cell, 20 Gallon, In Addition to Water, PUC, SEE 0595941 Type of Foam - Class "A" Foam, Brand Name - Knockdown	1
308	0505016		Drain, 1.00", Foam Tank #1, Husky 12 Foam System	1
309	0091079		Not Required, Foam Tank #2	1
310	0091112		Not Required, Foam Tank #2 Drain	1
311	0515692		Pump Operators Panel, 31", Control Zone, PUC	1
312	0032479		Pump Panel Configuration, Control Zone	1
313	0516975		Material, Pump Panels, Operators Brushed Stainless, Sides Brushed Stainless, PUC	1
314	0516978		Pump and Plumbing Access, Simple Tilt Service, PUC	1
315	0520016		Not Required, Pumphouse Structure, PUC	1
316	0516983		Gauges, Engine, Included With Pierce Pressure Controller, PUC	1
317	0005601		Throttle, Engine, Incl'd w/Press Controller	1
318	0549333		Indicators, Engine, Included with Pressure Controller	1
319	0527795		Control, Air Horn at Pump Panel w/Red Switch Qty, Door Accessory - Latch, Roll-up Door - Location, Inlet - Color, Roll-up Door, Gortite - Latch, Roll-up Door, Gortite - Discharge, Outlet Locations - Location, Left Side, Right Side - Size, Enclosure -	1
320	0511078		Gauges, 4.00" Master, Class 1, 30"-0-600psi	1
321	0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
322	0517009		Gauge, Water Level, Pierce, In pressure Controller, w/Mini Slave, PUC Activation, Water Level G -	1
323	0055163		Water Level Gauge, Whelen PSTANK, LED 1-Light, 4-Level Location - one (1) each side behind the crew cab doors Qty, - 02 Activation, Water Level G - pb) parking brake is applied Color, Lens, LED's - Location, Water Level Gauge, Multi-Select - Color, Lt Lvl Full - Color, Lt Lvl 3/4 - Color, Lt Lvl 1/2 - Color, Lt Lvl 1/4 - Color, Lt Lvl Empty - Mounting, Water Level - Color, Trim -	2
324	0517012		Gauge, Foam Level, Pierce, PUC, PP and Mini in Cab Activation, Foam Level Gauge -	1
325	0520243		Light, Pump Operator & Panel, Side Ctrl, PUC, Incandescent	1

Line	Option	Type	Option Description	Qty
326	0509732		Electrical System, Impel/Velocity/Velocity SLT, NOT FOR FUTURE USE	1
327	0556337		Lights, Step, P25 LED at Rear Tailboard, 2lts Perm Lts	1
328	0562210		Light, Step, Additional, Amdor 12" Strip Light, Model AY-9500-012 White LED	1
			Qty, Lights - 01	
			Location, Lights - in the access step at the rear of the passenger side hatch compartment	
329	0039828		Lights, Tail, Whelen 60R00XRR LED Stop/Tail, 60A00TAR Amber, LED, Pop Arrow Dir	1
			Flange Kit, 2pr - w/with a flange	
			Color, Lens, LED's -	
			Color, Lens -	
			Light, Orientation -	
330	0039204		Lights, Backup, WIn 600, Halogen	1
			Flange Kit, Whelen 6E - w)6E or 64 Flange Kit	
331	0563675		Lights, Clearance/Marker/ID, Rear, Truck-Lite 33050R LED 7Lts	1
332	0080182	SP	Light Control, work lighting, No Parking Brake Control.	1
333	0521285		Light, Directional/Marker, Intermediate Light, Truck-Lite Model 60115Y LED	1
			Light Guard -	
			Control, Scene Lts -	
334	0543751		Light, Do Not Move Apparatus	1
			Alarm, Do Not Move Truck - No Alarm	
335	0509042		Messages, Open Dr/DNMT, Color Dsply,	1
336	0545074		Lights, Compt, Amdor, LED, Dual Light Strips, Each Side of Door	12
			Location - one (1) pair in compartments D1, D2, D3, P1, P2, P3, P4, AND R1, two (1) pair in drivers side front compartment D4 pump panel area and compartment area, one (1) pair each side of the crosslay and stokes compartment	
			Qty, - 12	
			Location, Compartment Lights -	
337	0538215		Lights, Hatch Compt, Amdor, Luma-Bar, PUC	1
338	0520326		Light, Pump Compt, PUC	1
339	0057865		Lights, Perimeter Cab, Truck-Lite 60 Incandescent	1
			Cab, Perimeter Scene - Cab, 4dr Custom	
340	0057863		Lights, Perimeter Body, Truck-Lite 60204C Incd 4lts, PP/Rr Stp	1
			Switch, Location, Perim - P. Brake & DS/PS switch panels	
			Color, Lt Housing HiViz -	
341	0511280		Lights, Perimeter Scene, Truck-Lite, Model 60, Additional	6
			Qty, Lights - 06	
			Location, Lights - one (1) under each side of the extended front bumper facing forward, one (1) under compartment D3, one (1) under compartment P3, one (1) under compartment D1, and one (1) under compartment P1	
			Control, Perimeter Lts -	
			Control, Scene Lts -	
			Color, Lt Housing HiViz -	
			Location, Additional Perimeter Lights -	
			Scene Light Optics -	
342	0549089		Lights, Side Scene, WIn 70C0ELZR Gradient LED 12, 1st	1
			Location, Lights - one (1) each side of the cab on the raised roof in front of the crew cab doors	
			Qty, - 1	
			Switch, Lt Control 1 DC,1 - f) PS Switch Panel	
			Switch, Lt Control 2 DC,2 - b) DS Cab Doors	
			Switch, Lt Control 3 DC,3 - g) PS Cab Doors	
			Switch, Lt Control 4 DC,4 - a) DS Switch Panel	
343	0038925		Lights, Rear Scene, Whelen 90E000ZR Gradient 50W Halogen, Pr	1
			Location, Lights - one (1) each side on the rear bulkheads to the inside of the tail lights	
			Qty, Lights, Pair - 1	
			Color, Light,One -	
			Switch, 1 Scene Cntrl - bb)ds switch, os switch	
			Switch, 2 Scene Cntrl - b) pump panel	
			Switch, 3 Scene Cntrl - n) No additional control, 3	
			Flange Kit - w)with flange	
			Switch, 4 Scene Cntrl, Dr - a) no switch control	
			Control, Scene Lts -	

Line	Option	Type	Option Description	Qty
343			Location, Scene Lights -	
344	0532358		Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
345	0544332		Portable Hand Light, Provided by Fire Department, Pumper NFPA Classification	1
346	0540118		Camera, Safety Vision, Driver Mux, Rear Camera Only	1
			Camera System Audio -	
347	0511071		Guard, 4-Way, Rear Vision Camera	1
			Qty, -	
			Location - *	
348	0006052		Air Horns, (2) Grover in Bumper Inside Frame	1
			EXCLUDED: [Location, Air Horn (bmpr)]. - Selected value: "one (1) each side on the inside of the frame rails "	
			Location, driver's/passenger's/center -	
349	0036062		Control, Air Horn, Horn Ring, PS Lanyard	1
350	0516188		Siren, Powercall, 6-Adam, 100 or 200W	1
			Location - in the officer's side overhead switch panel (panel #4)	
351	0510206		Location, Elect Siren, Recessed Overhead In Console	1
			Location, Elec Siren - Overhead, PS Inside Sw Pnl	
352	0076156		Control, Elec Siren, Head Only	1
353	0560792		Speaker, Federal ES100 with ESFMT-EF Recess Mount	1
			Qty, Speakers - 1	
			Connection, Speaker - siren head	
354	0548455		Location, Recessed in the Front Bumper, Passenger Side	1
355	0016080		Siren, Federal Q2B	1
356	0006095		Siren, Mechanical, Mounted Above Deckplate	1
			Location, Siren, Mech - a) Left	
357	0026163		Control, Mech Siren, DS & PS Foot Sw	1
358	0022899		Switch, Second Siren Brake, Chrome Push Button	1
			EXCLUDED: [Location]. - Selected value: "within reach of the officer, when the officer is in the seated position. The switch is to be located on the side of the air intake on the lower engine tunnel"	
			Location, Additional Siren Brake -	
359	0080171		Lightbar, Whelen, Freedom, FN93QLED 93", 12-R, 2-W, 2-RC, PE215	1
			Opticom Priority - b) High	
			Light, Cruise, Wln -	
360	0067857		Lights, Whelen Freedom, 24", pair, 4-Red LEDs, Clear Lens	1
			Lightbar Location, Cab/Crew Cab - c)over the cab doors	
			Color, Lt DS Front -	
			Color, Lt PS Front -	
361	0006490		Light, Mars TB8-12P/*, SS Ped	1
			Color, Lights, Warning - b) clear	
			Color, Lens, Halogen Mars Lt -	
362	0540692		Lights, Side Zone Lower, Wln M6°C LED, Clear Lens, 3pr, Ovr 25	1
			EXCLUDED: [Location, Lights Mid]. - Selected value: "one (1) each side centered over the front wheels "	
			EXCLUDED: [Location, Lights Rear]. - Selected value: "one (1) in each side centered over the rear wheels "	
			Location, Lights Front Side - b)each side bumper	
			Color, Lt Side Front - Red	
			Color, Lt Side Middle - Red	
			Color, Lt Side Rear - Red	
			Location, Lights Mid Side -	
			Location, Lights Rear Side -	
363	0540774		Lights, Side, Wln M9°C LED, Clear Lens	2
			Location, Lights - one (1) each side toward the front of the hatch compartment	
			Qty, - 02	
			Color, Lights, Warning - gla) red	
364	0540783		Lights, Rear Zn Lwr, Wln M6°C LED	1
			Color, Lt DS Rear - r) DS Rear Lt Red	
			Color, Lt PS Rear - r) PS Rear Lt Red	
365	0540804		Lights, Rear, Wln M6°C LED, Clear Lens	2
			EXCLUDED: [Location]. - Selected value: "one (1) each side on the rear bulkheads above the rear upper warning model M9°C red warning lights "	
			Color, Light - d) amber	
			Location, Rear Lights -	

Line	Option	Type	Option Description	Qty
365			Qty, - 02	
366	0006700		Control, Light - a) rear upper warning Mounting, Lights, Recess In Rear Bulkhead (pair)	1
			Location - driver and officer's side rear bulkhead upper warning lights	
367	0541155		Qty, Lights, Pair - 1 Lights, Rear/Side Up Zone, WIn M9°C LED, Clear Lens 4lts	1
			Color, Lt, Side Rear Upper DS - Side Rear Upper Red Color, Lt, Side Rear Upper PS - Side Rear Upper Red Color, Lt, Rear Upper DS - r) DS Rear Upper Red Color, Lt, Rear Upper PS - r) PS Upper Rear Red	
368	0006551		Not Required, Lights, Rear Upper Zone Blocking	1
369	0026813		No Hose Bed Warn Light Brackets Required, Lights Mounted on Hatch Compts, Pumper	1
370	0529686		Light, Traffic Directing, Whelen TAM65 36" Long LED	1
			Color, Light,One - Activation, Traffic Dir L - Control Head Only	
371	0548794	SP	Location, Traf Dir Lt, Surface Mounted On Rear Ladder Access Door, w/Guard, PUC	1
372	0530288		Location, Traf Dir Lt Controller, Overhead Recessed Console, above Eng Tnl DS	1
373	0008322		Switch, Master, Clear or White Warning Lights, Forward Facing	1
374	0520054	SP	Switch, Second, Emergency Master (Passenger's Side)	1
375	0586571	SP	Switch, Momentary, Manual Override	1
			Fill in Blank - locate switch on PS pump panel (upper right hand corner) - for PS large diameter discharge	
376	0006646		Electrical System, 120/240VAC, General Design	1
377	0522525		Generator, Harrison 30kW MPC Hydraulic, Hotshift PTO, Single Phase, PUC	1
			Generator Interlocks - No Interlocks	
378	0517171		Location, Hydraulic Generator, Cargo Area, Front of Body, PRM/PUC	1
			Location, Generator - best fit per engineering	
379	0016752		Starting Sw, Truck Engine Powered Gen, Cab Sw Pnl	1
380	0016757		Not Required, Remote Start, Generator	1
381	0016740		Not Required, Fuel System	1
382	0016767		Not Required, Oil Drain Extension, Generator	1
383	0016771		Not Required, Routing Exhaust, Generator	1
384	0520107		Circuit Breaker Panel, Included With PTO Generator, PUC	1
			Location, CB Panel - *	
385	0507757		Location, Gen Meter Panel, Spcl Location IPO Std, No Green Ind Lt	1
			Location - install high on the front bulkhead wall next to the pump panel in compartment D4	
386	0528367		Light, Visor, FRC, 750W 120V, FCA851-S75 Focus, Custom	1
			Location, 120/240 Volt Lt - front visor light Qty, - 1 Switch, AC Lt 1 - ds) DS switch Panel Switch, AC Lt 2 - ps) PS switch panel Switch, AC Lt 3 - pp) pump operators panel Mount, WIn II -	
387	0542636		Light, FRC, 750W 120V, OPA200-S75 Optimum, Recessed 1st	5
			Location, 120/240 Volt Lt - two (2) evenly spaced on driver and passenger side hatch compartments and one (1) on the rear bulkhead wall of the driver's side hatch compartment Qty, - 05 Switch, Lt Control 1 - ds) DS Switch Panel Switch, Lt Control 2 - ps) PS Switch Panel Switch, Lt Control 3 - pp) Pump Operators Panel Switch, Lt Control 4 - n) No Control	
388	0016816		Switch, Remote AC Toggle for Receptacle (30 Amps or less)	2
			Location - one (1) on the front bumper next to the passenger side hydraulic reel, and one (1) on the bracket holding the 4-way hose roller passenger side compartment P4 Location, 120/240 Volt Lt - one (1) for each 30-amp receptacle at the front of the cargo area for the Hurst hydraulic power units Qty, Switch - 02	
389	0537813	SP	Light, Command Light, CL615-FRC-BL, Six (6) FRC 1500 Watt, Backlight	1
			Location - next to the breaker panel in compartment D4	

Line	Option	Type	Option Description	Qty
389			Location, 120/240 Volt Lt - on the rear portion of the cab roof with the base mounted on the passenger side Qty, 120/240 Volt Light - 1	
390	0066627		Reel, Elect Cable, Hannay, 1600, (4) Wire EXCLUDED: [Location, Cord Reel]. - Selected value: "one (1) in the hatch compartment above compartment D4 and one (1) in the hatch compartment above compartment P3 toward the front, cables are to feed through the ceiling of D4 and P3 REELS TO HOLD 200' OF 10/4 CABLE (CUSTOMER SUPPLIED AND INSTALLED) " Qty, Cord Reels - 2 Reel Guide - b) Captive roller Finish, Reel - Painted Job Color Location, Electric Cord Reel -	2
391	0006792		Receptacle, 15A 120V 3-Pr 3-Wr TL, Gen, Wtrprf Location, Receptacles - one (1) each side rear of body by the step lights and one (1) passenger side of the front bumper extension EXCLUDED: [Qty, Receptacles]. - 03 Qty, -	3
391	9999999	SCC	Remove Trailer Plug Receptacles @ Final, Union FC Location, Receptacles - remove the two (2) trailer plugs at rear receiver hitch and ship loose (and label harnesses for future use) Qty, Receptacles - 01	1
392	0086626		Receptacle, 15A 120V 3-Pr 3-Wr SB Dup, 4 place, Shoreline Location, Receptacles - (1) ea side on the side of the engine tunnel behind the driver and officer's seat. (1) ea interior wall of EMS compts next to the ceiling and (1) ea ext wall of EMS compts facing the fwd facing seats and (1) high on the frt bulkheads D1 D2 D3 P2 P3 EXCLUDED: [Qty, Receptacles]. - 11 Qty, -	11
393	0016795		Receptacle, 30A 240V 3-Pr 3-Wr TL, L6-30R Wtrprf Location, Receptacles - two (2) evenly spaced on the front wall under the the cover for the Hurst hydraulic power units at the front of the cargo area EXCLUDED: [Qty, Receptacles]. - 02 Qty, -	2
394	0016837		Shoreline, 20A 120V, Straight Blade NEMA 5-20 Qty, - Connection, Shoreline - battery charger and the interior cab receptacles EXCLUDED: [Qty, Shoreline]. - 1	1
395	0026800		Shoreline Location	1
396	0036802		Location, Shoreline(s) - DS Pump Panel Sub Feed Breaker Box Cutler Hammer, For Shoreline	1
397	0036800		Location, CB Panel - next to the breaker box Switch, Auto Transfer, Up to 30Amp, Gen Shoreline EXCLUDED: [Connection, Transfer Swit]. - Selected value: "interior cab and compartment receptacles " Connection, Transfer Switch -	1
398	0519544		Brand, Hydraulic Tool System, Hurst Low Pressure	1
399	0061838		Hose, Hydra., Parflex, Low Pressure, All Sizes, Twin Line, Connection Qty, - 05 Configuration - * Brand, Model, Age of Tool - Hurst Dimensions - * Color, Hydraulic Hose 1 - h) black/black Color, Hydraulic Hose 2 - i) orange/orange Color, Hydraulic Hose 3 - j) green/green Color, Hydraulic Hose 4 - k) orange/green Color, Hydraulic Hose 5 - l) black/green Color, Hydraulic Hose 6 - n) no hose required Length, Conduit, 1.50" - Length, Conduit, 2.50" -	5
400	0593799	SP	Hose, Hydra Parflex, 5K, Diverter Valve to Reel, All Sizes Qty, - 05 Brand, Model, Age of Tool - Hurst Color, Hydraulic Hose 1 - h) black/black Color, Hydraulic Hose 2 - i) orange/orange	5

Line	Option	Type	Option Description	Qty
400			Color, Hydraulic Hose 3 - j) green/green Color, Hydraulic Hose 4 - k) orange/green Color, Hydraulic Hose 5 - l) black/green Color, Hydraulic Hose 6 - n) no hose required	
401	0061835		Hose, Hydraulic, 100', Dual Parker-Hannifin, 5K, (Phos. Ester) Qty, - 05 Configuration - * Brand, Model, Age of Tool - Hurst Dimensions - * Color, Hydraulic Hose 1 - h) black/black Color, Hydraulic Hose 2 - i) orange/orange Color, Hydraulic Hose 3 - j) green/green Color, Hydraulic Hose 4 - k) orange/green Color, Hydraulic Hose 5 - l) black/green Color, Hydraulic Hose 6 - n) no hose required Length, Conduit, 1.50" - Length, Conduit, 2.50" -	5
402	0562377	SP	Cover with Access Door, Simo/Trimo Hydraulic Power Supply, Removable Location - two (2) at the front of the hosebed for one (1) Hurst Trimo Model JL-AC-TR and one (1) Hurst Simo Model JL-AC-SI Qty, - 02	2
403	0006995		Mounting Bracket, Power Supply, Hydraulic Location - two (2) in the hydraulic power unit compartment at the front of the cargo area Qty, - 02 Configuration - * Brand, Model, Age of Tool - One (1) Hurst Trimo Model JL-AC-TR and one (1) Hurst Simo Model JL-AC-SI Dimensions - * Length, Conduit, 1.50" - Length, Conduit, 2.50" -	2
404	0006989		Reel, Hyd, Mounted in Front Bumper, (Hannay) Any Tool Make Location - one (1) each side outside the frame rails Qty, Reel - 02 Configuration - * Brand, Model, Age of Tool - Hurst Simo pump Reel Guide - b) Captive roller Dimensions - * Length, Conduit, 1.50" - Length, Conduit, 2.50" -	2
405	0006990		Reel, Hyd, 100' Cap., .25" Dual Hose(Hannay) (Any Make Tool) Location - three (3) in the passenger's side hatch compartment above compartment P4 Qty, Reel - 03 Configuration - * Brand, Model, Age of Tool - Hurst Reel Guide - b) Captive roller Dimensions - * Length, Conduit, 1.50" - Length, Conduit, 2.50" -	3
405	9999999	SCC	Rework Hyd Tool Cover @ Final, Time/Material, Union FC Fill in Blank - install louvers ipo knock-outs & lower 2"-3"	1
406	0508116		Valve, Remote Dump, XRT Location - one (1) next to each hydraulic reel in the front bumper and three (3) next to the roller guides in compartment P4 (SAME AS JOB # 22076) Qty, - 05	5
407	0007150		Bag of Nuts and Bolts Qty, Bag Nuts and Bolts - 1	1
408	0532883		NFPA Required Loose Equipment, Pumper, Provided by Fire Department	1
409	0540114		Soft Suction Hose, Provided by Fire Department, Pumper NFPA Classification	1
410	0027023		No Strainer Required	1
411	0533269		Extinguisher, Dry Chemical, Pumper NFPA Class, Provided by Fire Department	1
412	0533278		Extinguisher, 2.5 Gal. Pressurized Water, Pumper NFPA, Provided by Fire Dept	1
413	0532921		Axe, Flathead, Pumper NFPA Classification, Provided by Fire Department	1
414	0532924		Axe, Pickhead, Pumper NFPA Classification, Provided by Fire Department	1

Line	Option	Type	Option Description	Qty
415	0559673		Paint, Two Tone, Cab, w/Special Shield, Custom Cab, Vel/Imp Location - high across the the hood and drop down at the grille, same as Job # 21774 Paint, Color - Pierce # 106 red (lower cab and body) Paint Color, Upper Area - Pierce # 10 white (upper cab)	1
416	0037243		Paint Chassis Frame Assy/Drivelines. Job Color Paint Color, Commercial, Optional -	1
417	0516422		Not Required, Paint, Aluminum Wheels	1
418	0527253		Warranty, 10 Year Standard Paint, Aluminum Body, Custom Cab, 100% w/Inspections	1
419	0013176		Smooth Finish, Two-Tone Cab Paint Break w/Shield, No Vinyl	1
420	0007230		Compartment, Painted, Spatter Gray	1
421	0544087		Reflective Band, 6" Color, Reflect Band - A - a) white	1
422	0510041		Reflective across Cab Face, Imp/Vel	1
423	0550809		Stripe, Chevron, Rear, Reflective, Pumper, PUC w/ Space Saver - Uncovered Color, Chev, Reflective B - yellow Color, Chev, Reflective A - ruby red	1
424	0567374		Stripe, Black Outline each Chevron Stripe @ Rear (Not Warranted)	1
425	0065687		Stripe, Reflective, Cab Doors Interior Color, Reflective - a) white	1
426	0594928	SP	Stripe, Box, Printed Gold Leaf Effect, Ea. Body Side, No Scrolls	1
427	0594927	SP	Stripe, Box, Printed Gold Leaf Effect, Ea. Upper Body Side Sheet	1
428	0007287		Stripe, Gold Leaf, Across Cab Face on Paint Break	1
429	0010197		Stripe, Gold Leaf, Side of Cab, Over Fender Only	1
430	0027281	SP	Striping, Painted Pin, Above and Below Cab Trim	1
431	0027284		Lettering Specifications, (Traditional Process)	1
432	0007246		Lettering, Gold Leaf 3" w/outline & shade (41-60)	1
433	0594930	SP	Lettering, Printed Gold Leaf Effect 8" w/outline & shade (21-40) Location, Lettering - on each side of the upper hatch compartments	1
434	0594931	SP	Lettering, Printed Gold Leaf Effect 12" w/outline & shade Qty, Lettering - 04 Location, Lettering - two (2) each side on upper hatch compartments Color, Outline/Shadow - a) black	4
435	0024806		Lettering, Reflective w/outline & shade, Additional Color, Lettering - a) white Qty, Lettering - 02 Location, Lettering - on the rear drop down door Size, Lettering, Reflect - 14	2
436	0053755		Lettering, Reflective w/outline & shade, Additional Qty, Lettering - 06 Location, Lettering - on the front bumper tray cover (RESCUE) Size, Lettering, Reflect - 05 Color, Outline/Shadow - a) black Color, Reflective - c) ruby red	6
437	0018585		Lettering, Reflective w/outline & shade Color, Lettering - a) white Qty, Lettering - 02 Location, Lettering - centered on the front bumper Size, Lettering, Reflect - 10	2
438	0022948		Lettering, Reflective w/outline or shade, Roll-up Drs, Additional Qty, Lettering - 06 Location, Lettering - "RESCUE" on the rear roll-up door. Lettering to have black outline. Size, Lettering, Reflect - 06 Color, Reflective - c) ruby red	6
439	0556423	SP	Lettering, Vinyl Etched on Upper Side Window, Crew Cab Doors	1
440	0048991	SP	Lettering, Vinyl 1" (1-20) Location - D5 & P5 (In Case of Fire pull here) Color, Lettering - e) black	1
441	0022652		Emblem, Maltese Cross, Gold Leaf, 15"-17", Pair Qty, - 1	1
442	1007731	SP	Location, Emblem - driver and officer's doors Concession, Union Fire Co. No. 1, PA, per Dave McAlice, 1259	1

Line	Option	Type	Option Description	Qty
443	0000048		PUMPER/TANKER, 3rd Gen	1
444	0000012		PIERCE CHASSIS	1
445	0020027		SERIES 60 ENGINE	1
446	0046396		EVS 4000 Series TRANSMISSION	1
447	0520324		PIERCE PUMP, PUC	1
448	0020009		POLY TANK	1
449	0028048		FOAM SYSTEM	1
450	0020006		SIDE CONTROL	1
451	0020007		AKRON VALVES	1
452	0020015		ABS SYSTEM	1